

# DECLARATION OF CONFORMITY

I hereby declare that the product

Description: Smart phone

Type or model name:

Brand name: BLAUPUNKT

(Name of product, type or model, batch or serial number)

<b>Hardware version number:</b>	5058_MB_V40
<b>Software version number:</b>	YK737_KS971H_V04_20180831
<b>Adapter:</b>	Model: SM02 Brand: BLAUPUNKT Power supply and ADP(rating): Input: AC 100V-240V, 50/60Hz 0.15A Output: DC 5V, 1A
<b>Battery:</b>	Model: SM02 Brand: BLAUPUNKT Battery(rating): Rated Voltage: 3.8V Charge Limit: 4.35V Capacity :2100mAh
<b>USB line</b>	Model: SM02 Brand: BLAUPUNKT Length:100cm
<b>Earphone</b>	Model: SM02 Brand: BLAUPUNKT Length:120cm
<b>Dipole Antenna</b>	Model: SM02 Brand: BLAUPUNKT
<b>PIFA Antenna</b>	Model: SM02 Brand: BLAUPUNKT

satisfies all the technical regulations applicable to the product within the scope of Council Directives 2014/53/EU.

All reports as specified by client, determine Lead, Cadmium, Hexavalent Chromium and/or PBB&PBDE content in the submitted samples which are restricted in directive 2011/65/EU (RoHs)

**All essential radio test suites have been carried out.**

EN 60950-1:2006 + A11:2009 + A1:2010 + A12: 2011 + A2: 2013

Draft EN 301 489-1 V2.2.0

Draft EN 301 489-19 V2.1.0

Draft EN 301 489-17 V3.2.0

Draft EN 301 489-52 V1.1.0

EN 55032: 2015

EN 55035:2017

EN 301 908-1 V11.1.1

EN 301 908-2 V11.1.2

EN 301 511 V12.5.1

EN 300 328 V2.1.1

EN 303 413 V1.1.1

Final draft EN 303 345 V1.1.7

EN 62479:2010

EN 62209-1:2006 EN 62209-2:2010

EN 50360:2017 EN 50566:2017

EN50332-1:2013 EN50332-2:2013

EN61000-3-2:2014 EN61000-3-3:2013

Feature:

GSM

Frequency Bands:

GSM 900: 880 ~ 915 MHz(TX) 925 ~ 960 MHz (RX)

GSM 1800: 1710 ~ 1785 MHz(TX) 1805 ~ 1880 MHz(RX)

Modulation Mode: GMSK for GPRS, GMSK and 8PSK for EDGE

Antenna Type: PIFA

Antenna Gain: GSM 900: 3.0dBi GSM 1800:3.0dBi

Max power:32.48dBm

WCDMA

Frequency Bands:

WCDMA2100: 1920 ~ 1980 MHz(TX) 2110 ~ 2170 MHz(Rx)

WCDMA900: 880 ~ 915 MHz(TX) 925 ~ 960 MHz(Rx)

Modulation Mode: WCDMA: QPSK;HSDPA:QPSK/16QAM; HSUPA:BPSK;

Antenna Type: PIFA

Antenna Gain: WCDMA 2100:3.0dBi WCDMA 900:3.0dBi

Max power:22.21dBm

Bluetooth 4.0

Frequency Bands:2402-2480 MHz

Modulation Mode: GFSK(1Mbps)

Antenna Type: PIFA

Antenna Gain:3dBi

EIRP Max power:-2.29dBm

2.4G WIFI

Frequency Bands:

IEEE 802.11b /g /n(20MHz):2412-2472 MHz

IEEE 802.11n(40MHz):2422-2462MHz

Modulation Mode: CCK/OFDM/DBPSK/DAPSK

Antenna Type: PIFA

Antenna Gain: 2.9dBi

EIRP Max power:17.82dBm

GPS

Frequency Bands:1.57542GHz

Modulation Mode: GSMK

Antenna Type: PIFA

Antenna Gain: 3.0dBi

FM

Frequency Bands:88-108MHz

Modulation Mode:FM

Antenna Type: Dipole Antenna

(Earphone acts as FM antenna which becomes an integral antenna)

Antenna Gain:3.0dBi

**NOTIFIED BODY: PHOENIX TEST-LAB GmbH**

- **Address:**

Köningswinkel 10

D-32825 Blomberg

Germany

Identification Number: 0700

**MANUFACTURER or AUTHORISED REPRESENTATIVE:**

- **Address:**

HTM Mobile Kft.

1118 Budapest, Dayka Gábor utca 3. Hungary

This declaration is issued under the sole responsibility of the manufacturer and, if applicable, his authorised representative.

**Point of contact:**



2018-9-29

(Signature)

Name (in block letter)

Kiki Hu

*Kiki Hu*

Title (in block letter)

Sales Director

Company Name

Fortune Ship International Industrial Limited

Address

UNIT C 24/F GOLDEN BEAR INDUSTRIAL CENTRE 66-82 CHAI  
WAN KOK STREET TSUEN WAN NT, HONGKONG

Tel / Fax

86-755-26398600

Email