

● **BLAUPUNKT**

100 years
brand est. 1924



Enjoy it.

Small Household Appliances
Catalogue 2024/2025



Brand history

4



Preparing breakfast

18




Preparing food

6



Cooking

28



Beauty and personal care

44



Air at home

58



Ironing

80



Vacuuming
and Cleaning

86

Brand history

- 1924** – A company named “Ideal” was first founded in Berlin when radio was still in its infancy. Every unit was carefully tested by technicians and labeled with a seal for quality — the blue dot. It did not take long before customers simply asked for the “bluepoint” products. The blue dot quickly became known as a symbol of outstanding quality.
- 1932** – The first car radio in the world was launched by Blaupunkt.
- 1938** – The dot became a trademark as well as the new company name: Blaupunkt.
- 1959** – The year 1959 saw the delivery of the one millionth car radio.
- 1971** – Ten million Blaupunkt car radios.
- 1974** – First car radio with traffic information receiver.
- 1979** – 25 million Blaupunkt car radios.
- 1982** – Prototype of first route guidance system.
- 1989** – World’s first mass production ready traffic navigation system.
- 1999** – Production of 100 milion Blaupunkt car radios.
- 2002** – First web-linked navigation system.
- 2007** – 75 years car radio.
- 2010** – Blaupunkt TV and Multiband Receivers became the first licensed product categories of the Blaupunkt Global Brand Community.
- 2012** – The product range of Blaupunkt was expanded to include additional product categories such as tablet computers, mobile navigation, audio and video and air conditioning.
- 2015** – Blaupunkt have been awarded as the “Brand of the century – German brand standards”.
- 2016** – The product range of Blaupunkt was expanded to include additional product categories such as small household appliance.
- Today** – The Blaupunkt Global Brand Community is a growing community of independent brand partners covering almost every category of the consumer lifestyle all over the world.

Enjoy it.



Preparing food

- Slow juicers
- Citrus juicers
- Hand blenders
- Table blenders
- Food slicer
- Choppers
- Meat mincers
- Mixers



Enjoy it.

SLOW JUICERS

SJV801



Technical data:

- Special dual stage design of the auger for best performance of cutting, grinding and extracting of juice
- Powerful bushless AC motor max 500 W
- Extracts from fruits up to 90% of juice
- Two filters with different density for clearer juices or filled with flesh
- Reverse function
- Quiet operation, less than 65 dB
- 1 l cup for juicer and 1 l cup for pulp
- Anti-drip function
- Easy cleaning (detachable elements are dishwasher safe)
- Vegetable slicer accessory with three disk (grating, slicing, cutting fries, shredding)
- Ice cream dessert maker accessory
- High quality BPA-free plastic
- Power supply 220-240 V ~ 50/60 Hz
- Power: 260 W, max 500 W
- Dimension: 24 x 15 x 32.8 cm
- Weight: 8.8 kg
- EAN code: 5901750503177



SJV601



Technical data:

- Special dual stage design of the auger for best performance of cutting, grinding and extracting of juice
- Extracts from fruits up to 90% of juice
- Silicone brushes to reduce jamming of the mesh
- Reverse function
- 1 l cup for juicer and 1 l cup for pulp
- Stainless steel body
- Anti-drip function
- Metal gears for efficiency of juice extracting even from the hardest fruits and vegetables
- Easy cleaning (detachable elements are dishwasher safe)
- High quality BPA-free plastic
- Power supply 220-240 V~50/60 Hz
- Power: 400 W
- Dimension: 24 x 15 x 32,8cm
- Weight: 5 kg
- EAN code: 5901750500770



CITRUS JUICERS

CJS601



Technical data:

- Capacity of the integrated juice jug: 1.7 l (usable 1.5 l)
- Jug with measuring scale
- Set of two different size cones
- High quality BPA-free plastic
- Power supply: 220-240 V ~ 50/60 Hz
- Power: 100 W
- Dimension: 25.3 x 18.7 x 25.7 cm
- Weight: 1.77 kg
- EAN code: 5901750504808



CJS401



Technical data:

- Capacity of the integrated juice jug: 1.2 l
- Adjustable strainer for pulp control
- Power cord storage
- Power cord storage
- Jug with measuring scale
- Alternating rotation of the cone
- Set of two different size cones
- High quality BPA-free plastic
- Power supply: 220-240 V ~ 50/60 Hz
- Power: 40 W
- Dimension: 21.5 x 14.5 x 23.3 cm
- Weight: 0.96 kg
- EAN code: 5901750500893



CJS301



Technical data:

- Capacity of the integrated juice jug: 0.5 l
- Power cord storage
- Jug with measuring scale
- Alternating rotation of the cone
- Set of two different size cones
- High quality BPA-free plastic
- Power supply 230 V ~ 50/60 Hz
- Power: 40 W
- Dimension: 21 x 16.4 x 15.4 cm
- Weight: 0.6 kg
- EAN code: 5901750500886





HAND BLENDERS

HBD812



Technical data:

- Powerful, quiet DC motor: 1700 W
- Smooth speed regulation
- Detachable stainless steel blending rod
- Special titanium coated quadruple blades
- Special shape of shaft for better flow of blended food between blades
- Accessories: food processor, whisk, chopper, puree/masher attachment, jug
- High quality BPA-free materials
- Power supply: 220-240 V ~ 50/60 Hz, power: 1700 W
- EAN code: 5901750507908

HBD611



Technical data:

- Powerful, quiet DC motor: 1200 W
- Smooth speed regulation in the trigger
- Detachable stainless steel blending rod
- Special shape of shaft for better flow of blended food between blades
- Special titanium coated quadruple blades
- Accessories: food processor, whisk, jug
- High quality BPA-free materials
- Power supply: 220-240 V ~ 50/60 Hz, power: 1200 W
- EAN code: 5901750507915



HBD512



Technical data:

- Powerful, quiet DC motor: 1700 W
- Smooth speed regulation
- Detachable stainless steel blending rod
- Special shape of shaft for better flow of blended food between blades
- Special titanium coated quadruple blades
- Accessories: whisk, chopper
- High quality BPA-free materials
- Power supply: 220-240 V ~ 50/60 Hz, power: 1700 W
- EAN code: 5901750507892



HBD211



Technical data:

- Ergonomic slim shape for perfect grip
- 2 speeds
- Detachable stainless steel blending shaft
- Stainless steel blades
- High quality BPA-free materials
- Power supply: 220 – 240 V ~ 50/60 Hz
- Power: 1100 W
- Weight: 0.8 kg
- Dimension: 6.7 x 6.7 x 39.5 cm
- EAN code: 5901750503405



TABLE BLENDERS

TBG801



Technical data:

- High max. power: 1500 W
- Capacity of the jar: 1.75 l
- Manual or automatic operation
- 2 automatic programs for ice crushing and smoothie
- Pulse mode with „Turbo“
- Smooth speed control
- Specially designed 4-winged blades
- Titanium coated blades, 10 x stronger than steel
- Additional blend&go bottle
- Easy cleaning with fully dismountable blades system from the jar
- Additional blend&go bottle
- High quality BPA-free materials
- Power supply: 220-240 V ~ 50/60 Hz, rated power: 1200 W
- Dimension: 21.5 x 18.6 x 43.8 cm
- Weight: 4.17 kg
- EAN code: 5901750504570



TBG601



Technical data:

- High max. power: 1500 W
- Capacity of the jar: 1.75 l
- High rotation speed up to 30 000 rpm
- 5 speed setting
- Specially designed 4-winged blades
- Pusher for easier mixing and blending of harder and bigger ingredients
- Easy cleaning with fully dismountable blades system from the jar
- High quality BPA-free materials
- Power supply: 220-240 V ~ 50/60 Hz, rated power: 1300 W
- Dimension: 21.5 x 18.6 x 43.8 cm
- Weight: 3.82 kg
- EAN code: 5901750504563





FOOD SLICERS

FMS601



Technical data:

- Blade made of high quality stainless steel
- Diameter of blade: 19 cm
- Stable aluminium base
- Die-casted aluminium thickness adjustable plate
- Wide slicing regulation 0 – 20 mm
- Detachable sliding platform
- Plastic pusher
- Anti-slip silicone feet
- Power supply: 220 – 240 V ~ 50/60 Hz, max: 250 W, rated: 200 W
- Dimension: 38 x 25 x 28 cm
- Weight: 3.5 kg
- EAN code: 5901750503467



FMS501



Technical data:

- Blade made of high quality stainless steel
- Peak power up to 200 W
- Diameter of blade: 17 cm
- Stable aluminium base
- Die-casted aluminium thickness adjustable plate
- Wide slicing regulation 0 – 20 mm
- Plastic food/crumb tray
- Detachable sliding platform
- Power cord storage
- Plastic pusher
- Anti-slip silicone feet
- Power supply: 220 – 240 V ~ 50/60 Hz
- Max power: 200 W, rated: 160 W
- Dimension: 34.1 x 24 x 24.2 cm
- Weight: 2.9 kg
- EAN code: 5901750503450



CHOPPER

CPG601



Technical data:

- Capacity of the glass bowl: 0.8 l
- Chops vegetables, meat, nuts, ice
- Special shape of blade for best chopping performance
- 2 speeds for best control of chopping process
- Egg whipping accessory included
- High quality BPA-free materials
- Power supply 220-240 V ~ 50/60 Hz
- Power: 450 W
- Dimension: 22.5 x 27 x 19 cm
- Weight: 2.35 kg
- EAN code: 5901750500855



MEAT MINCERS

FMM501



Technical data:

- High mincing efficiency, up to 2.2 kg/min
- Strong motor with peak power up to 2000 W
- Two mincing speed levels and reverse function
- 3 meat mincer disks made of high hardness grade stainless steel (SUS420) with hole's diameter: 3, 5, 7 mm
- Metal mincing chamber and feeding tray
- Quiet operation below 80 dB
- High quality BPA-free materials
- 3 discs, blade, food pusher, sausage attachment
- Blue LED backlit buttons
- Power supply: 220-240 V ~ 50/60 Hz
- Power: 500 W
- Dimension: 23 x 20.5 x 13 cm
- Weight: 2.2 kg
- EAN code: 590175050306



FMM401



Technical data:

- High mincing efficiency: up to 2 kg/min
- Strong motor with peak power: up to 1500 W
- 3 meat mincer disks made of high hardness grade stainless steel (SUS420) with hole's diameter: 3, 5 and 7 mm
- Reverse function
- Metal mincing chamber
- Quiet operation: below 78 dB
- High quality BPA-free materials
- 3 discs, blade, plastic feeding tray, food pusher
- Power supply: 220-240 V ~ 50/60 Hz
- Power: 500 W
- Dimension: 33.4 x 15.3 x 28.8 cm
- Weight: 1.8 kg
- EAN code: 5901750504785



FMM301



Technical data:

- High mincing efficiency: up to 1.5 kg/min
- Strong motor with peak power: up to 1300 W
- Reverse function
- 3 meat mincer disks with hole's diameter: 3, 5 and 7 mm
- Blade made of high hardness grade stainless steel (SUS420)
- Metal mincing chamber
- Quiet operation: below 80 dB
- High quality BPA-free materials
- 3 discs, blade, plastic feeding tray, food pusher
- Power supply: 220-240 V ~ 50/60 Hz, power: 600 W
- Dimension: 33.4 x 15.3 x 28.8 cm
- Weight: 2.1 kg
- EAN code: 5901750506437



MIXERS

SMM501



Technical data:

- High max power: 1500 W
- Rapid ramming and mixing
- Beater, hook, whisk included
- Smooth, electronically controlled working speed regulation
- Constant speed and planetary working system
- Speed range: 55 – 160 rpm
- 33° pop up head lift
- 5 l rotating stainless steel bowl
- Power supply: 220-240 V ~ 50/60 Hz, rated power: 1000 W
- Dimension: 40.8 x 22.4 x 35.2 cm
- Weight: 4.38 kg
- EAN code: 5901750504792



HMM401



Technical data:

- High maximum power: 750 W
- Rapid ramming and mixing
- Two beaters and two hooks included
- Eject button for releasing attachments
- 5 working speeds
- Power supply: 220-240 V ~ 50/60 Hz, power: 500 W
- Dimension: 19 x 5.5 x 15 cm
- Weight: 1.2 kg
- EAN code: 5901750504501



HMM601



Technical data:


- High maximum power: 750 W
- Rapid ramming and mixing
- Two beaters and two hooks included
- Eject button for releasing attachments
- 5 working speeds
- 3 l rotating plastic bowl
- Power supply: 220-240 V ~ 50/60 Hz, power: 500 W
- Dimension: 28 x 19 x 33 cm
- Weight: 2 kg
- EAN code: 5901750504518





Preparing breakfast

- Coffee grinders
- Coffee makers
- Breakfast sets
- Electric kettles



Enjoy it.

COFFEE GRINDERS

FCM501



Technical data:

- Maximum power: 200 W
- Burr grinding system
- Removable ground coffee container with a capacity of 180 g
- 250 g bean tank
- Adjustment of the grinding time from 2 to 12 cups of coffee
- Precise adjustment of grinding fineness in the range of 1 - 31
- Power supply: 220-240 V ~ 50/60 Hz, power: 120 W
- Dimension: 20.5 x 15 x 29 cm
- Weight: 1.2 kg
- EAN code: 5901750506987



FCG801



Technical data:

- High power: 200 W
- Fast grinding
- Detachable, stainless steel grinding chamber
- Capacity up to 85 g of coffee beans
- Power supply: 220-240 V ~ 50/60 Hz,
- power: 200 W
- Dimension: 11.9 x 11.9 x 21.2 cm
- Weight: 0.9 kg
- EAN code: 5901750507038



FCG701



Technical data:

- High peak power: 200 W
- Fast grinding
- Detachable, stainless steel grinding chamber
- Capacity up to 85 g of coffee beans
- Power supply 220-240 V~50/60 Hz,
- rated power: 120 W
- Dimension: 10.1 x 11 x 20.5 cm
- Weight: 0.95 kg
- EAN code: 5901750502545



COFFEE MAKERS

CMP601



Technical data:

- 15-bar high-pressure pump
- High-performance heating system ensures the best results
- Makes both espresso and milk based coffee drinks (cappuccino, latte)
- Water-stop function allows you to set the preferred size of your coffee
- Removable transparent 1.8-litre water tank
- Removable 0.5-litre milk container, easy to store in the fridge
- Double steel filter extracts even more aroma and the right qualities from your coffee
- Three filters are included (single espresso, double espresso, 44-mm pads)
- User-friendly panel with 7 illuminated buttons allows you to choose your favorite coffee
- Systems protecting against overheating and excessive pressure
- Detachable milk-frothing nozzle and removable drip tray for easy cleaning
- Steel tray for pre-heating cups
- Automatic switch-off
- Power supply: 220-240 V~50/60 Hz, power: 1350 W
- Unit size: 32 x 24.8 x 36.5 cm
- Weight: 4.8 kg
- EAN code: 5901750502668



CMP501



Technical data:

- 20-bar high pressure pump
- Efficient heating element for best performance
- Double thermostat solution for perfect temperature both for espresso and for milk frothing
- Can make 1 or 2 cups of espresso
- Flow stop function to personalise your coffee length
- Transparent and removable water reservoir (1.5 l)
- Double-stainless steel filter to improve coffee quality and crema
- 4 buttons with indicator lights to make coffee or steam conveniently
- Safe and reliable, with overheating and overpressure protected device
- Detachable frothing nozzle and drip tray for easy cleaning
- Durable stainless steel cup plate for coffee cups pre-heating
- Auto shut-off
- Power supply: 220-240 V ~ 50 Hz, power: 950 W
- Dimension: 28.6 x 21.4 x 29.3 cm
- Weight: 3 kg
- EAN code: 5901750506949





BLAUPUNKT

CMP312



Technical data:

- 15-bar high pressure pump
- Efficient heating element for best performance
- Double thermostat solution for perfect temperature both for espresso and for milk frothing
- Can make 1 or 2 cups of espresso
- Flow stop function to personalize your coffee length
- Transparent and removable water reservoir (1.6 l)
- Double-stainless steel filter to improve coffee quality and crema
- 3 buttons to make coffee or steam conveniently
- Safe and reliable, with overheating and overpressure protected device
- Detachable frothing nozzle and drip tray for easy cleaning
- Durable stainless steel cup plate for coffee cups pre-heating
- Auto shut-off
- Power supply 220-240 V ~ 50 Hz, power: 850 W
- Unit size: 27 x 23 x 30 cm
- Weight: 3 kg
- EAN code: 5901750503368



CMP301



Technical data:

- 15-bar high pressure pump
- Efficient heating element for best performance
- Double thermostat solution for perfect temperature both for espresso and for milk frothing
- Can make 1 or 2 cups of espresso
- Flow stop function to personalize your coffee length
- Transparent and removable water reservoir (1.6 l)
- Built-in boiler (150ml) for heating water
- Double-stainless steel filter to improve coffee quality and crema
- 3 buttons with indicator lights to make coffee or steam conveniently
- Safe and reliable, with overheating and overpressure protected device
- Detachable frothing nozzle and drip tray for easy cleaning
- Durable stainless steel cup plate for coffee cups pre-heating
- Auto shut-off
- Power supply 220-240 V ~ 50 Hz, power: 850 W
- Unit size: 30 x 24 x 30 cm
- Weight: 3.2 kg
- EAN code: 5901750501418



CMD401



Technical data:

- Water tank capacity: 1.25 l (10-12 cups)
- Keep warm function
- Non-stick coated heating plate
- Auto shut-off after 40 minutes
- Nylon permanent filter
- Compatible with filters 1x4
- Voltage: 220-240 V ~ 50/60 Hz, power 800 W
- Dimension: 27 x 15.5 x 31 cm
- Weight: 1.3 kg
- EAN code: 5901750504259

CMD201



Technical data:

- Water tank capacity: 0.65 l (4-6 cups)
- Keep warm function
- Non-stick coated heating plate
- Auto shut-off after 40 minutes
- Nylon permanent filter
- Compatible with filters 1x2
- Voltage: 220-240 V ~ 50/60 Hz, power: 600 W
- Dimension: 22 x 15 x 25.5 cm
- Weight: 0.98 kg
- EAN code: 5901750504242



DRIP COFFEE MAKER

CMD802WH



Technical data:

- Water tank capacity: 1.5 l (12-14 cups)
- Keep warm function
- Programable timer and strength
- Non-stick coated heating plate
- Auto shut-off after 40 minutes
- Nylon permanent filter
- Compatible with filters 1 x 4
- Voltage: 220-240 V~50/60 Hz
- Power 900 W
- Dimension: 27.4 x 18.3 x 35.1 cm
- Weight: 1.83 kg
- EAN code: 5901750504778



AIR FRYER

AFD802WH



Technical data:

- Multipurpose: fry, roast, grill, bake, reheat
- Hot air vortex technology allows to fry meals evenly, with less fat use.
- Frying basket capacity: 3.5 l
- Temperature regulation 80-200°C
- Timer: 1 h
- Display with cooking parameters
- Makes less smells and smoke than traditional deep fryers
- Power supply 220-240 V ~ 50/60 Hz, power: 1400 W
- Dimension: 26.8 x 26 x 33 cm
- Weight: 3.5 kg
- EAN code: 5901750507007





TOASTER **TSS802WH**



ELECTRIC KETTLE **EKS802WH**



Technical data (toaster):

- 2 wide slots for two slices (33 mm)
- Auto-centering guide
- Electronic browning control
- Smooth 6-levels browning time regulation
- Defrost and reheat modes
- Automatic shut-off and pop-up
- High lift feature for smaller slices
- 3 indicator lights
- Crumb tray
- Anti-jam protection
- Cool touch body
- Anti-slip rubberized feet
- Power supply: 220-240 V ~ 50/60 Hz, power: 750-900 W
- Dimension: 31.4 x 19 x 20.5 cm
- Weight: 1.51 kg
- EAN code: 5901750504617

Technical data (electric kettle):

- Capacity: 1.8 l, min. 0.8 l
- Rotary base, concealed stainless steel heating element
- Body made of high quality stainless steel
- Temperature indicator
- Automatically turns off when water boils or after removing kettle from base
- Boiling dry protection
- Filter
- Strix controller
- Power supply: 220-240 V ~ 50 Hz, power: 2500-3000 W
- Dimension: 23.4 x 20 x 27.5 cm
- Weight: 1.24 kg
- EAN code: 5901750504600



EKD601



Technical data:

- Capacity: 1.7 l, min. 0.5 l
- Water temperature display
- Keep-warm function active up to 24 hours
- Water heating temperature selection: 100°C, 90°C, 80°C, 55°C, 40°C
- Lid opening button
- Rotary base, concealed stainless steel heating element
- Body made of high quality stainless steel
- Automatically turns off when water boils
- Boiling dry protection
- Insulated double wall, cool touch
- Controller Strix
- Power supply: 220-240 V ~ 50/60 Hz, power: 1850-2200 W
- Dimension: 21.2 x 16.2 x 26.2 cm
- Weight: 1.3 kg
- EAN code: 5901750505218



EKP502



Technical data:

- Capacity: 1.7 l, min. 0.5 l
- Rotary base, concealed stainless steel heating element
- Body made of high quality plastic (BPA-free)
- Automatically turns off when water boils
- Boiling dry protection
- Filter
- Strix controller
- Power supply: 220-240 V ~ 50/60 Hz, power: 1850-2200 W
- Dimension: 21.7 x 15.5 x 24.5 cm
- Weight: 0.86 kg
- EAN code: 5901750504761



EKS401



Technical data:

- Capacity: 1.7 l, min 0.5 l
- Rotary base, concealed stainless steel heating element
- Body made of high quality stainless steel
- Lid opening button
- Automatically turns off when water boils
- Boiling dry protection
- Filter
- Strix controller
- Power supply 220-230 V ~50/60 Hz, power: 1850-2000 W
- Dimension: 22.3 x 14.9 x 23.3cm
- Weight: 0.93 kg
- EAN code: 5901750501432



EKG301



Technical data:

- Capacity: 1 l, min 0.25 l
- Rotary base, concealed stainless steel heating element
- Body made of high borosilicate glass (better durability and stain resistant)
- Automatically turns off when water boils
- Boiling dry protection
- Filter
- Blue LED illumination when heating
- Power supply 220-240 V ~50/60 Hz, power: 1360-1630 W
- Dimension: 20.5 x 15.5 x 20.3 cm
- Weight: 0.96 kg
- EAN code: 5901750502637



Cooking

- Electric grills
- Sandwich makers
- Air fryers
- Electric ovens
- Kitchen scales
- Food dehydrators
- Popcorn makers
- Ice cream maker
- Ice maker



Enjoy it.

ELECTRIC GRILLS

GRS901



Technical data:

- Electronic temperature and grilling time control
- Removable double hot plates: plain and ribbed (22 x 32 cm)
- Extra set of waffle hot plates
- Adaptable top lid for the best contact with grilled food
- Non-stick coated hot plates
- High-quality, health-safe, PFOA-free, non-stick coating
- Can be used as an open grill (180° opening lid, with a locking system)
- Grilling mode selection (top, bottom, top + bottom)
- Display showing the operating parameters
- Retractable drip tray for juice/fat
- Cool touch handle
- Power supply: 220-240 V~; 50/60 Hz, power: 2,000 W, weight: 5,23 kg
- Dimensions: 35.5 x 17.5 x 33 mm
- EAN code: 5901750505355



GRS701



Technical data:

- Thick detachable plates covered with high quality non-stick coating free of PFOA
- Grooved heating plate (23 x 34 cm)
- Adjustable temperature control
- Cool-touch safe handle
- Stainless steel body
- Floating hinge system automatically adjusts to any size of toast, meat or snack
- Can work as an open grill (180 degree opening system, with lid locking)
- Drip tray for collecting excess oil
- Power supply 220-240 V ~ 50/60 Hz, power: 2000 W
- Dimension: 38 x 13,5 x 37 cm
- Weight: 4.6 kg
- EAN code: 5901750500992



GRS501



Technical data:

- Thick detachable plates covered with high quality non-stick coating free of PFOA
- Grooved heating plate (29 x 23 cm)
- Adjustable temperature control
- Cool-touch safe handle
- Stainless steel body
- Floating hinge system automatically adjusts to any size of toast, meat or snack
- Can work as an open grill (180 degree opening system, with lid locking)
- Drip tray for collecting excess oil
- Power supply: 220-240 V ~ 50/60 Hz, power: 2000 W
- Dimension: 32.3 x 12.1 x 33.5 cm
- Weight: 4.4 kg
- EAN code: 5901750504952



GRT801



Technical data:

- High power: 2200 W
- Large grilling surface: 39 x 29 cm
- Thick grilling plate with flat and corrugated surface
- Grilling plate coated with a non-stick coating free of PFOA
- Drainage of excess fat and removable drip tray
- Detachable controller with thermostat
- Easy to clean, the grilling plate can be washed under running water
- Power supply: 220-240 V ~ 50/60 Hz, power: 2200 W
- Dimension: 50.9 x 38.9 x 12.9 cm
- Weight: 4.94 kg
- EAN code: 5901750504747



GRT601



Technical data:

- High power: 1500 W
- Large grilling surface: 40 x 40 cm
- The conical shape facilitates the removal of excess fat and even temperature maintenance over surface
- Grilling plate coated with a non-stick coating, free of PFOA and PTFE
- Drainage of excess fat and removable drip tray
- Detachable controller with thermostat
- Easy to clean, the grilling plate can be washed under running water
- Power supply: 220-240 V ~ 50/60 Hz, power: 1500 W
- Dimension: 41.3 x 40.1 x 8.8 cm
- Weight: 2.9 kg
- EAN code: 5901750504204



GRT301



Technical data:

- High power: 2000 W
- Large grilling surface: 45 x 30 cm
- Thick grilling plate with flat and corrugated surface
- Grilling plate coated with a non-stick coating, free of PFOA and PTFE
- Drainage of excess fat and removable drip tray
- Detachable controller with thermostat
- Easy to clean, the grilling plate can be washed under running water
- Power supply: 220-240 V ~ 50/60 Hz, power: 2000 W
- Dimension: 56.2 x 32 x 8.2 cm
- Weight: 2.25 kg
- EAN code: 5901750504198



SANDWICH MAKERS

SMS611



Technical data:

- 3in1: sandwich maker/grill/waffle maker plate sets
- Roasting plates coated with non-stick coating
- High quality non-stick coating free of PFOA
- Control lights shows the status of the device
- Automatic thermostat driven regulation of temperature
- Buckle Clip on Handle
- Cool-touch body
- Power supply: 220-240 V ~ 50/60 Hz
- Power: 750 W
- Dimension: 24.2 x 23.8 x 10 cm
- Weight: 1.62 kg
- EAN code: 5901750505010



SMS501



Technical data:

- Roast and grill sandwiches
- Roasting plates coated with non-stick coating
- High quality non-stick coating free of PFOA
- Automatic thermostat driven regulation of temperature
- Control lights shows the status of the device
- Buckle Clip on Handle
- Cool-touch body
- Power supply: 220-240 V ~ 50/60 Hz, power: 750 W
- Dimension: 23.6 x 22.8 x 9.5 cm
- Weight: 1.19 kg
- EAN code: 5901750507229



SMS411



Technical data:

- Roast 4 triangle sandwiches (2 slices) at one time
- Roasting plates coated with non-stick coating
- High quality non-stick coating free of PFOA
- Control lights shows the status of the device
- Buckle Clip on Handle
- Automatic thermostat driven regulation of temperature
- Cool-touch body
- Power supply: 220-240 V ~ 50/60 Hz, power: 750 W
- Dimension: 22.2 x 22.2 x 9.5 cm
- Weight: 1.14 kg
- EAN code: 5901750504020



AIR FRYERS


AFD722



Air Fryer, high quality multifunctional device, which helps you to prepare easily and quickly delicious chips, that are crispy on the outside and soft on the inside. Our devices have also many functions, it can bake, grill, fry and heat up. All these features make the air fryer your indispensable assistant in the kitchen while cooking dishes with meat, fish or vegetables. Air fryer is well known for their very low oil usage, thanks to that you can use less oil than frying in a traditional way or in deep fryer. Until now, enthusiasts of fries or fried foods had to face the risk of being unhealthy caused by their cooking habits.

Technical data:

- Multipurpose: fry, roast, grill, bake, reheat, dry
- Hot air vortex technology allows to fry meals evenly, with less fat use
- Frying basket capacity: 7.2 l
- Temperature regulation 40-200°C
- Timer: 1 h
- 8 predefined programs
- Display with cooking parameters
- Accessories: High rack with skewers, pizza plate
- Makes less smells and smoke than traditional deep fryers
- Power supply 220-240 V ~ 50/60 Hz, power: 1800 W
- Dimension: 38.7 x 30.3 x 31.9 cm
- Weight: 5 kg
- EAN code: 5901750507984




AFD712



Technical data:

- Multipurpose: fry, roast, grill, bake, reheat, dry
- Hot air vortex technology allows to fry meals evenly, with less fat use
- Frying basket capacity: 7.2 l
- Temperature regulation 40-200°C
- Timer: 1 h
- 8 predefined programs
- Display with cooking parameters
- Makes less smells and smoke than traditional deep fryers
- Power supply 220-240 V ~ 50/60 Hz, power: 1800 W
- Dimension: 38.7 x 30.3 x 31.9 cm
- Weight: 5 kg
- EAN code: 5901750506895



AFD601



Technical data:

- Multipurpose: fry, roast, grill, bake, reheat
- Hot air vortex technology allows to fry meals evenly, with less fat use.
- Aluminum basket (2.5 l) and pan (4 l) coated with non-stick Teflon
- Temperature regulation 150-200°C
- Timer 1 h
- LCD display with cooking parameters
- Makes less smells and smoke than traditional deep fryers
- Food separator allows you to prepare two meals at the same time, high rack to prepare few layers of ingredients
- Power supply 220-240 V ~ 50/60 Hz, power: 1500 W
- Dimension: 28.1 x 34.8 x 32.6 cm
- Weight: 4.8 kg
- EAN code: 5901750500831



AFD512



Technical data:

- Multipurpose: fry, roast, grill, bake, reheat
- Hot air vortex technology allows to fry meals evenly, with less fat use
- Frying basket capacity: 3.7 l
- Temperature regulation 60-220°C
- Timer: 1 h
- Display with cooking parameters
- Makes less smells and smoke than traditional deep fryers
- Power supply 220-240 V ~ 50/60 Hz, power: 1300 W
- Dimension: 26.8 x 26 x 33 cm
- Weight: 3.5 kg
- EAN code: 5901750506772



AFD501



Technical data:

- Multipurpose: fry, roast, grill, bake, reheat
- Hot air vortex technology allows to fry meals evenly, with less fat use.
- Aluminum basket (2.5 l) and pan (4 l) coated with non-stick Teflon
- Temperature regulation 150-200 °C
- Timer 1 h
- Display with cooking parameters
- Makes less smells and smoke than traditional deep fryers
- Power supply 220-240 V ~50/60 Hz, power: 1500 W
- Dimension: 28.1 x 34.8 x 32.6 cm
- Weight: 4.6 kg
- EAN code: 5901750500824





ELECTRIC OVENS

EOM601



Technical data:

- Capacity: 45 l
- External dimensions: 571 x 430 x 369 mm
- Internal dimensions: 421 x 353 x 303 mm
- Temperature control: 90-230 °C
- Timer: 0-60 min
- Convection and rotisserie
- Interior light
- Accessories: bake tray, rotisserie set, crumb tray, bake rack, tray handle
- Double glass door
- Cool touch body and door
- Power supply 220-240 V ~ 50/60 Hz, power: 1800 W
- Weight: 12.2 kg
- EAN code: 5901750503054



EOM501



Technical data:

- Capacity: 31 l
- External dimensions: 511 x 399 x 332 mm
- Internal dimensions: 360 x 332 x 266 mm
- Temperature control: 90-230 °C
- Timer: 0-60 min
- Convection and rotisserie
- Interior light
- Accessories: bake tray, rotisserie set, crumb tray, bake rack, tray handle
- Double glass door
- Cool touch body and door
- Power supply 220-240 V ~ 50/60 Hz, power: 1500 W
- Weight: 10.1 kg
- EAN code: 5901750502699



KITCHEN SCALES

FKS701



Technical data:

- Capacity: max 15 kg, division 1 g
- Clear hidden display
- Tempered glass (3 mm) weighting platform
- Touch button
- Indicate volume of water and milk
- Power supply: 3 x AAA battery (included)
- Dimension: 24 x 20 x 2,25 cm
- Weight: 0.65 kg
- EAN code: 5901750507953



FKS602



Technical data:

- Capacity: max 5 kg, division 1 g
- Hidden display, height of digits 11.1 mm
- Touch buttons
- Indicate volume of water and milk
- Power supply: 3 x AAA battery (included)
- Dimension: 21.1 x 21.1 x 6.1 cm
- Weight: 0.525 kg
- EAN code: 5901750504884



FKS601



Technical data:

- Capacity max 5 kg, division 1 g
- Tempered glass (3 mm) weighting platform
- Blue backlit display with diameter 46 mm
- Touch button
- Indicate volume of water and milk
- Power supply 2 x AAA battery (included)
- Dimension: 23 x 16 x 2 cm
- Weight: 0.46 kg
- EAN code: 5901750502682



FKS501



Technical data:

- Capacity max 5 kg, division 1 g
- Inverted display (black background, white digits): 45.5 x 21.5 mm
- Touch buttons
- Indicate volume of water and milk
- Power supply: 2 AAA battery (included)
- Dimension: 22.5 x 19 x 7.5 cm
- Weight: 0.38 kg
- EAN code: 5901750502675




FKS401



Technical data:

- Capacity: max 10 kg, division 1 g
- Tempered glass (3 mm) weighting platform
- Washable under running water
- Touch button
- Indicate volume of water and milk
- Power supply: 3 x AAA battery (included)
- Dimension: 21 x 16 x 1.9 cm
- Weight: 0.41 kg
- EAN code: 5901750506963





FOOD DEHYDRATORS

FDD601



Technical data:

- 5 trays, total drying area: 3.250 cm²
- Tray height: 3 cm, tray size: 32 x 25 cm
- A high-power heater and forced air flow guarantee efficient drying
- Air temperature adjustment range: 35 °C-70 °C
- Timer: 0.5 – 24 hours
- Control panel with display and soft-touch buttons
- Compact size when folded
- Power supply: 220-240 V ~ 50/60 Hz, power: 420 W
- Dimensions: 27 x 32 x 24 cm
- Weight: 2.2 kg
- EAN code: 5901750505140



POPCORN MAKERS

FPC401



Technical data:

- Measuring cup to adjust the portion
- 2-4 minutes to prepare one portion of popcorn!
- Transparent lid
- Prepare popcorn without using any oil or fat
- Power supply 220-240 V~50/60 Hz, power: 1200 W
- Dimension: 19.5 x 15.5 x 28 cm
- Weight: 1.13 kg
- EAN code: 5901750500848



ICE CREAM MAKER

ICM401



Technical data:

- Capacity 1 l
- Ice cream preparation time up to 60 minutes
- Mixes and freezes
- Keep cool function
- Removable container for easy cleaning
- Control panel with display and touch buttons
- Yogurt preparation function
- No pre-cooling necessary
- Refrigerant R600a, 18 g
- Power supply 220-240 V ~ 50 Hz, power: 100 W
- Dimension: 35.5 x 26 x 22.8 cm
- Weight: 6.92 kg
- EAN code: 5901750507564

ICE MAKER

IMB201



Technical data:

- Capacity up to 12 kg per day
- Bullet type ice cubes
- 1.5 l water tank
- Ice container capacity: 700 g
- Selecting the size of ice cubes
- Easy operation, one-button control
- Self-clean function
- Cycle takes 8-9 mins to prepare one batch of ice cubes
- Refrigerant R600a, 14 g
- Power supply 220-240 V ~ 50 Hz, power: 120 W
- Dimension: 20.6 x 26.8 x 28.2 cm
- Weight: 6.52 kg
- EAN code: 5901750507557



Beauty and personal care

- Hair curlers
- Hair straighteners
- Hair dryers
- Hair clippers
- Men's shavers
- Sonic toothbrushes
- Water flossers
- Bathroom scales
- Luggage scales



Enjoy it.

HAIR CURLERS

HSC602



Technical data:

- Aluminum barrel and tongs coated with ultra smooth ceramic
- Tourmaline coating prevents electrostatic charges
- Coating with addition of Argan oil therapy
- Barrel diameter: 25 mm
- Temperature adjustment from 100°C to 220°C
- Heatproof case for easier use and storage
- Ready to use in less than one minute
- LED display
- Auto shut-off
- Power supply: 220-240 V ~ 50 Hz, power: 55 W
- EAN code: 5901750506260

HSC601



Technical data:

- Aluminum barrel and tongs coated with ultra smooth ceramic
- Tourmaline coating prevents electrostatic charges
- Coating with addition of Argan oil therapy
- Barrel diameter: 19 mm
- Temperature adjustment from 100°C to 220°C
- Heatproof case for easier use and storage
- Ready to use in less than one minute
- LED display
- Auto shut-off
- Power supply: 220-240 V ~ 50 Hz, power: 45 W
- EAN code: 5901750506253



HAIR STRAIGHTENERS

HSS601



Technical data:

- Aluminum plates coated with ultra smooth ceramic
- Tourmaline coating prevents electrostatic charges
- Coating with addition of Argan oil therapy
- Plate size: 110 x 24 mm
- Temperature adjustment from 100°C to 220°C
- Ready to use in less than one minute
- Floating plates perfectly align to the lock of hair
- LED display
- Auto shut-off
- Power supply: 220-240 V ~ 50 Hz, power: 49 W
- EAN code: 5901750505003



HAIR DRYERS

HDD501BL/RO/BK



Technical data:

- Three-level airflow temperature control
- Two-level airflow strength control
- Cool shot
- Ionization
- Concentrator nozzle and diffuser included
- Removable inlet filter
- Power supply: 220-240 V
~ 50/60 Hz, power: 2000 W
- EAN code (RO): 5901750501975
- EAN code (BL): 5901750504624
- EAN code (BK): 5901750505850



HDD401WH



Technical data:

- Three-level airflow temperature control
- Two-level airflow rate control
- Cool shot
- Ionic function for smooth hairs
- Foldable handle
- Power supply: 220-240
~50/60Hz
- power: 1400-1600 W
- EAN code: 5901750504990



HDD301BK/BL/RO



Technical data:

- Three-level airflow temperature control
- Two-level airflow rate control
- Cool shot
- Foldable handle
- Power supply: 220-240 V ~50/60 Hz
- Power: 1200 W
- EAN code (BK): 5901750505225
- EAN code (BL): 5901750501951
- EAN code (RO): 5901750501968



HAIR CLIPPERS

HCC701



Technical data:

- Cutting length adjustment in the range of 3-18 mm with interchangeable combs
- Precise cutting adjustment in the range of 1-1.9 mm
- Cord and cordless operation
- Display indicating the remaining operating time and motor load
- Shaving head made of stainless steel; blades made of durable ceramics
- Full charge after 90 minutes, operating time after full charge – up to 180 minutes
- Lithium batteries (no memory effect)
- Case, charging base, machine lubricating oil, comb and brush included
- Power supply: 220-240 V ~ 50/60 Hz; 0.2 A
- EAN code: 5901750505027



HCC401



Technical data:

- Sliding comb cap
- Adjustable cutting length 3-24 mm
- Cord and cordless operation
- Ceramic blades
- 90 hours to full charge, up to 50 mins using time
- Quality NiMH batteries without memory effect
- Waterproof class: IPX4
- Oil, comb and brush in set
- Power supply: 220-240 V ~ 50/60Hz, 0.2A
- EAN code: 5901750501845



HCC501



Technical data:

- Cord and cordless operation
- High performance DC motor
- Stainless steel blades
- USB-C charging
- Lithium batteries without memory effect
- Working time: 45 min.
- Charging time: 1.5 hours
- Cutting from 0.4 mm to 3 mm
- 4 caps: protective, 2 mm, 2.5 mm, 3 mm
- Waterproof, can be cleaned under running water
- Oil and brush in set
- Weight: 0.18 kg
- EAN code: 5901750507243



HCS201



Technical data:

- Rechargeable
- Blade can be easily taken out and clean
- High performance DC motor
- Stainless steel blades
- 8 hours to full charge
- Up to 45 mins using time
- Quality Ni-MH batteries without memory effect
- Hair thickness adjustment caps (3 – 6 & 9 – 12 mm)
- Oil and Brush in set
- Weight: 0.18 kg
- EAN code: 5901750501494



MEN'S SHAVERS

MSR711



Technical data:

- Special double-track blades
- Hi-Precision Cut
- Patented head's thin foil technology less than 0,1mm
- 3 precise floating shaving heads (Multi-D shave)
- Waterproof IPX6
- LED display
- Cord and cordless operation
- Up to 200 minutes running time,
- 90 minutes of charging
- High quality lithium batteries without memory effect
- Quiet work with high-speed motor
- Charging via USB-C port, 5 V
- EAN code: 5901750505539



MSR502



Technical data:

- Double-track blades
- 3 precise floating shaving heads (Multi-D shave)
- Magnetic holder of shaver head
- ON/OFF switch with locking system
- Working time up to 70 minutes
- Rechargeable (60 minutes for full charge)
- High quality Li-Ion batteries without memory effect
- Power supply: 5V, 1A, USB-C socket
- Weight: 0.13 kg
- EAN code: 5901750507236



MSR401



Technical data:

- Double-track blades
- 3 precise floating shaving heads (Multi-D shave)
- ON/OFF switch with locking system
- Waterproof IPX6
- Pop-up trimmer
- Rubberized handle for better feeling
- Rechargeable (8 hours for full charge)
- Up to 1 hour running time
- High quality Ni-MH batteries without memory effect
- Power supply: 100 – 240 V~50/60 Hz, 0.2 A
- Weight: 0.19 kg
- EAN code: 5901750501500



SONIC TOOTHBRUSHES

DTS711



Technical data:

- Dynamic teeth cleaning thanks to Sonic Vibration technology and up to 48 000 cleaning movements per minute
- 5 working modes: sensitive, daily, polishing, massaging, whitening
- Toothbrush tip sterilized with UV light
- Two minute timer
- 30-second interval micro-timer indicating the time to advance to the next cleaning area in your mouth
- PerfoBrush perfectly massages gums as well as removes plaque, stains and deposits
- 4 brush heads (interchangeable, available accessory ACC024, ACC067)
- EAN code: 5901750507328



DTS601




Technical data:

- Dynamic teeth cleaning thanks to Sonic Vibration technology and up to 32 000 cleaning movements per minute
- 3 working modes: sensitive, daily, massaging
- Two minute timer
- PerfoBrush perfectly massages gums as well as removes plaque, stains and deposits
- 30-second interval micro-timer indicating the time to advance to the next cleaning area in your mouth
- PerfoBrush perfectly massages gums as well as removes plaque, stains and deposits
- 3 brush heads (interchangeable, available accessory ACC024)
- EAN code: 5901750502149



DTS511



Technical data:

- Dynamic teeth cleaning thanks to Sonic Vibration technology and up to 48 000 cleaning movements per minute
- 5 working modes: sensitive, daily, polishing, massaging, whitening
- Two minute timer
- 30-second interval micro-timer indicating the time to advance to the next cleaning area in your mouth
- PerfoBrush perfectly massages gums as well as removes plaque, stains and deposits
- 2 brush heads (interchangeable, available accessory ACC024, ACC067)
- EAN code: 5901750507311



AVAILABLE ACCESSORIES

ACC024



ACC067



ACC036



DTS612



Technical data:

- Dynamic teeth cleaning thanks to Sonic Vibration technology and up to 48 000 cleaning movements per minute
- 4 working modes: sensitive, daily, polishing, massaging
- Two minute timer
- 30-second interval micro-timer indicating the time to advance to the next cleaning area in your mouth
- PerfoBrush M perfectly massages gums as well as removes plaque, stains and deposits
- Weariness indicator of brush head
- 2 brush heads (interchangeable, available accessory ACC047)
- EAN code: 5901750503986

AVAILABLE ACCESSORIES

ACC047



DENTAL WATER FLOSSER

DIR501



Technical data:

- Dynamic and effective interdental cleaning
- 3 working modes: sensitive, daily, pulse
- Two minute timer
- Water pressure from 40 to 90 PSI
- Effective water pump up to 1400 pulse/minute
- 2 nozzles included (interchangeable, available accessory ACC026, ACC35)
- High volume water tank (150 ml)
- Cordless
- EAN code: 5901750502156

AVAILABLE ACCESSORIES

ACC026



ACC035



BATHROOM SCALES

BSM711BT



Technical data:

- Capacity: max 180 kg, division 0.1 kg
- Display: 74 x 35.6 mm
- Auto-on/off
- Body monitor: % of fat, hydration, bones and muscles
- Large data storage and multiple user profiles
- Power supply: 2 x AAA battery (included)
- Dimension: 31 x 30.2 x 2.2 cm
- Weight: 1.6 kg
- EAN code: 5901750504341



BSM601BT



Technical data:

- Capacity: max 180 kg, division 0.1 kg
- Display: 74 x 20.6 mm
- Auto-on/off
- Body monitor: % of fat, hydration, bones and muscles
- Application supported by iOS 8.0 or Android 4.3 or later
- Platform made of 5 mm thick tempered glass
- Power supply: 3 x AAA battery (included)
- Dimension: 28 x 28 x 2.2 cm
- Weight: 1.12 kg
- EAN code: 5901750506956



BSM501



Technical data:

- Capacity: max 150 kg, division 0.1 kg
- Display: 74 x 35.6 mm
- Auto-on/off
- Body monitor: % of fat, hydration, bones and muscles
- Calculate calories needed per day
- Memory for 12 profiles
- Power supply: 2 x AAA batteries (included)
- Dimension: 30.2 x 30.2 x 2.2 cm
- Weight: 1.5 kg
- EAN code: 5901750504587



BSM411



Technical data:

- Capacity: max 150 kg, division 0.1kg
- Display: 74 x 35.6 mm
- Auto-on/off
- Body monitor: % of fat, hydration, bones and muscles
- Calculate calories needed per day
- Memory for 12 profiles
- Power supply: 1 x CR2032 battery (included)
- Dimension: 30.2 x 30.2 x 2 cm
- Weight: 1.5 kg
- EAN code: 5901750504891



BSP301



Technical data:

- Capacity max 150 kg, division 0.1 kg
- Display 74 x 35.6 mm
- Auto-on/off
- Power supply 2 x AAA battery (included)
- Dimension: 30.2 x 30.2 x 2.2 cm
- Weight: 1.5 kg
- EAN code: 5901750502705




BSP201



Technical data:

- Capacity: max 150 kg, division 0.1 kg
- Hidden display, 2 cm digit height
- Auto-on/off
- Power supply: 3 x AAA battery (included)
- Dimension: 26 x 26 x 2 cm
- Weight: 0.94 kg
- EAN code: 5901750504983





LUGGAGE SCALES

LGS501



Technical data:

- Capacity: max 50 kg, division 0.05 kg
- LED display: 33,8 x 12,8 mm
- Easy operation
- Target weight limit
- Hold function
- Tare function
- Auto shut-off after two minutes
- Power supply 1 x CR2032
- Dimension: 14.5 x 3.2 cm
- Weight: 0.08 kg
- EAN code: 5901750507304



LGS301



Technical data:

- Capacity: max 50 kg, division 0.05 kg
- LED display: 20,5 x 15 mm
- Easy operation
- Target weight limit
- Hold function
- Tare function
- Auto shut-off after two minutes
- Power supply 1 x CR2032
- Dimension: 14 x 3.3 cm
- Weight: 0.07 kg
- EAN code: 5901750507298





Air at home

- Fans
- Air humidifiers
- Air dehumidifiers
- Heaters
- Fan heaters



Enjoy it.

PORTABLE FAN

APF301



Technical data:

- 3 fan speed settings: 4 m/s, 3,6 m/s, 3 m/s
- Efficient and reliable full copper motor
- Tilt regulation (180 degree)
- LED lamp with two levels of brightness
- Quiet operation
- Fan working time at one charge: up to 4 hours (2 hours at high speed)
- The shape of the fan blades reduces the noise level of his work
- Very strong air flow at maximum fan speed
- Power supply: 5V, 1A
- Battery: 3.7 V, 1800 mAh (type 18650)
- Dimension: 24.8 x 8 x 30.5 cm
- Weight: 0.74 kg
- EAN code: 5901750507489



AVF701



Technical data:

- 3 fan speed settings
- Oscillation function
- Efficient and reliable full copper motor
- Tilt regulation
- The shape of the fan blades reduces the noise level of his work
- Very strong air flow at maximum fan speed (up to 4 m/s)
- Quiet operation, only 45 dB at slowest speed setting
- Power supply 220-240 V ~ 50/60 Hz, power: 120 W
- Dimension: 58 x 19 x 58 cm
- Weight: 5.4 kg
- EAN code: 5901750504419



ASF701



Technical data:

- 3 fan speed settings, 4 modes
- Oscillation function
- Efficient and reliable full copper motor
- Special structure for easier assembly with plastic back grill and strong metal front grill
- Tilt regulation
- The shape of the fan blades reduces the noise level of his work
- Very strong air flow at maximum fan speed
- Quiet operation, only 40 dB at slowest speed setting
- Power supply 220-240 V ~ 50/60 Hz, power: 55 W
- Dimension: 64 x 24.1 x 135 cm
- Weight: 3.16 kg
- EAN code: 5901750504396

ASF501



Technical data:

- 3 fan speed settings
- Oscillation function
- Efficient and reliable full copper motor
- Special structure for easier assembly with plastic back grill and strong metal front grill
- Tilt regulation
- The shape of the fan blades reduces the noise level of his work
- Very strong air flow at maximum fan speed
- Quiet operation, only 40 dB at slowest speed setting
- Power supply 220-240 V ~ 50/60 Hz, power: 55 W
- Dimension: 64 x 24.1 x 135 cm
- Weight: 3.16 kg
- EAN code: 5901750504389






AFT801



Technical data:

- Electronic control of the operating mode
- 3 fan speeds
- 4 modes of operation (normal, natural, night, for children)
- Oscillation function
- Fan tilt adjustment
- Delayed switch off function
- Remote control
- Very strong air flow at maximum fan speed
- LED display showing operating mode and ambient temperature
- Quiet operation, only 40 dB in night mode
- Power supply 100-240 V ~ 50/60 Hz, power: 45 W
- Dimension: 31.1 x 31.1 x 107.7 cm
- Weight: 4.3 kg
- EAN code: 5901750504273



AFT601



Technical data:

- Electronic control of the operating mode
- 3 fan speeds
- 4 modes of operation (normal, natural, night, for children)
- Oscillation function
- Delayed shutdown function
- Remote control
- Very strong air flow at maximum fan speed
- LED display showing operating mode and ambient temperature
- Quiet operation, only 40 dB in night mode
- Power supply 100-240 V ~ 50/60 Hz, power: 45 W
- Dimension: 31.5 x 31.5 x 96.0 cm
- Weight: 3.8 kg
- EAN code: 5901750504266



ATF501



Technical data:

- 3 fan speed settings
- Oscillation function
- Efficient and reliable full copper motor
- Special structure for easier assembly with plastic back grill and strong metal front grill
- Tilt regulation
- The shape of the fan blades reduces the noise level of his work
- Very strong air flow at maximum fan speed
- Quiet operation, only 40 dB at slowest speed setting
- Power supply 220-240 V ~ 50/60 Hz, power: 55 W
- Dimension: 43.9 x 23.6 x 55.6 cm
- Weight: 2.01 kg
- EAN code: 5901750504372



ATF401



Technical data:

- 3 fan speed settings
- Oscillation function
- Efficient and reliable full copper motor
- Special structure for easier assembly with plastic back grill and strong metal front grill
- Tilt regulation
- The shape of the fan blades reduces the noise level of his work
- Very strong air flow at maximum fan speed
- Quiet operation, only 40 dB at slowest speed setting
- Power supply 220-240 V ~ 50/60 Hz, power: 45 W
- Dimension: 36.7 x 23.3 x 49 cm
- Weight: 2.01 kg
- EAN code: 5901750504365



ATF301



Technical data:

- 2 fan speed settings
- Oscillation function
- Efficient and reliable full copper motor
- Special structure for easier assembly with plastic back grill and strong metal front grill
- Tilt regulation
- The shape of the fan blades reduces the noise level of his work
- Very strong air flow at maximum fan speed
- Quiet operation, only 40 dB at slowest speed setting
- Power supply 220-240 V ~ 50/60 Hz, power: 30 W
- Dimension: 26.1 x 19.7 x 36.8 cm
- Weight: 1.13 kg
- EAN code: 5901750504358



ACF601



Technical data:

- 4 fan speeds
- Oscillation function in two dimensions
- Efficient and reliable full copper motor
- Very strong air flow at maximum fan speed (12 m/s), almost double than standard similar air coolers
- Additional water tank with pump for cooling boxes to reach higher cooling efficiency
- Quiet operation, only 45 dB at slowest speed
- Power supply 220-240 V ~ 50 Hz, power: 120 W
- Dimension: 38.8 x 33.6 x 81.3 cm
- Weight: 9 kg
- EAN code: 5901750504402



AIR HUMIDIFIERS

Comfortable air humidity is one of the key determinants if it comes to our health and well-being. Dry air, especially during wintertime, can cause headaches, mucosal irritation, sleeping problems, fatigue and susceptibility to infections. The best possible humidity for our health varies between 40-60%. The premium Blaupunkt humidifiers will keep the humidity in the room, up to user preferences. The device is equipped with an ionizer and has aromatherapy function. Negatively ionized air reduces the number of bacteria in the surroundings and neutralizes the harmful effects of electrical equipment on air quality. Aromatherapy perfectly goes with other types of treatments, and the user-selected fragrance will soothe the senses, improve the mood, and became a relaxing moment. Thanks to its quiet operation, the humidifiers may also work at night.

AHA501



Technical data:

- Digital control of humidifying intensity and aroma diffusing
- Aroma function with nebulizer (aroma diffuser)
- Independent control of aroma diffuser and humidifier (can work separately)
- 12 hours timer
- Max cool mist humidity effectiveness: 240 ml/h
- Demineralization cartridge
- Super quiet operation (noise less than 40 dB)
- Top-filling structure with removable water tank
- Water tank capacity: 4 l
- Durable ceramic glass glaze transducer
- Power supply 100-240 V ~ 50/60 Hz, power: 24 W
- Dimension: 23.2 x 20.5 x 30.9 cm
- Weight: 1.76 kg
- EAN code: 5901750504303




AHE801



Technical data:

- Humidification effectiveness: 800 ml/h
- Recommended to use in the rooms up to 60 m²
- Super quiet operation at low speed < 26.3 dB, quite operation at high speed < 45 dB
- Six speed levels of fan
- Remote control with Tuya APP (via internet)
- Display with humidity level indicator
- Special anti-bacteria filter cartridge
- UVC air purification
- Water tank capacity: 5 l
- Top filling up the water tank
- Power supply 220-240 V ~ 50/60 Hz, power: 24 W
- Dimension: 34.7 x 20.7 x 33.7 cm
- Weight: 4.5 kg
- EAN code: 5901750506994



AHE601



Technical data:

- Humidification effectiveness: 300 ml/h
- Recommended to use in the rooms up to 30 m²
- Super quiet operation at low speed < 38 dB, quiet operation at high speed < 45 dB
- Two speed levels of fan
- High air flow up to 75 m³/h
- Display with humidity level indicator and water level indicator
- Special anti-bacteria filter with silver ion
- Effective vaporisation surface of the filter up to 1.5 m²
- Water tank capacity: 4 l
- Top filling up the water tank
- Power supply 220-240 V ~ 50/60 Hz, power: 18 W
- Dimension: 26 x 26 x 35 cm
- Weight: 3.1 kg
- EAN code: 5901750504631



AHM701



Technical data:

- LED display with touch control panel
- Aroma function, built-in ionizer
- Remote control
- Adjustable humidistat from 40-80%
- 10 hours timer
- Mist humidity effectiveness: >500 ml/h
- Top-filling structure, easier refilling
- Water tank capacity: 5 l
- Night time mode
- Power supply 100-240 V ~ 50/60 Hz,
- Power: 400 W
- Dimension: 25 x 17.5 x 28 cm
- Weight: 2.97 kg
- EAN code: 5901750505171



AHS902



Technical data:

- LED display with touch control panel
- Air sterilization with UVC light
- Aroma function, build-in ionizer
- Smart home system with Tuya APP
- Adjustable humidistat from 40-80%
- 12 hours timer
- Mist humidity effectiveness up to 450 ml/h
- Demineralization cartridge
- Super quiet operation
- Ceramic glass glaze transducer
- Warm mist function with almost 80°C
- Water tank capacity: 4,5 l
- Night time mode
- Power supply 220-240 V ~ 50 Hz, power: 155 W
- Dimension: 25 x 15.5 x 28 cm
- Weight: 2.75 kg
- EAN code: 5901750506314



AHS901



Technical data:

- LED display with touch control panel
- Air sterilization with UV light
- Aroma function, build-in ionizer
- Remote control
- Adjustable humidistat from 40-80%
- 10 hours timer
- Mist humidity effectiveness up to 500 ml/h
- Demineralization cartridge
- Super quiet operation
- Ceramic glass glaze transducer
- Water purification: heating water to almost 100 °C, silver ion cartridge
- Water tank capacity: 6 l
- Night time mode
- Power supply 220-240 V ~ 50 Hz, power: 225 W
- Dimension: 25 x 24.5 x 34.3 cm
- Weight: 2.95 kg
- EAN code: 5901750504716



AHS802/803



Technical data:

- LED display with touch control panel
- Air filtration with HEPA H13 filter
- Air sterilization with UV light
- Aroma function, build-in ionizer
- Remote control
- Adjustable humidistat from 40-80%
- 10-hours timer
- Cool mist humidity effectiveness: >400 ml/h
- Demineralization cartridge
- Super quiet operation
- Ceramic glass glaze transducer
- Water tank capacity: 5 l
- Night time mode
- LED backlight
- Power supply 220-240 V ~ 50/60 Hz, power: 105 W
- Dimension: 24 x 17 x 37.1 cm
- Weight: 2.3 kg
- EAN Code (AHS802): 5901750503849
- EAN Code (AHS803): 5901750503917



AHS801



Technical data:

- LED display with touch control panel
- Air filtration with HEPA H13 filter
- Air sterilization with UV light
- Aroma function, build-in ionizer
- Remote control
- Adjustable humidistat from 40-80%
- 10 hours timer
- Cool mist humidity effectiveness: > 400 ml/h
- Demineralization cartridge
- Super quiet operation
- Ceramic glass glaze transducer
- Water tank capacity: 5 l
- Night time mode
- LED backlight
- Power supply 220-240 V ~ 50/60 Hz, power: 105 W
- Dimension: 24 x 17 x 37.1 cm
- Weight: 2.3 kg
- EAN code: 5901750502125



AHS701



Technical data:

- LED display with touch control panel
- Air filtration with HEPA H13 filter
- Aroma function, build-in ionizer
- Remote control
- Adjustable humidistat from 40-80%
- 10-hours timer
- Mist humidity effectiveness: >350 ml/h
- Warm mist function
- Demineralization cartridge
- Super quiet operation
- Top-filling structure, easier refilling
- Ceramic glass glaze transducer
- Water tank capacity: 4 l
- Night time mode
- Power supply 220-240 V ~ 50/60 Hz
- Power: 105 W
- Dimension: 22 x 22 x 39.7 cm
- Weight: 2.0 kg
- EAN code: 5901750503856



AHS601



Technical data:

- LED display with touch control panel
- Aroma function
- Build-in ionizer
- Remote control
- Adjustable humidistat from 40 – 80%
- 24 hours timer
- Cool mist humidity effectiveness: > 350 ml/h
- Demineralization cartridge
- Super quiet operation
- Ceramic glass glaze transducer
- Water tank capacity: 4.5 l
- Night time mode
- Power supply 220 – 240 V ~ 50/60 Hz, power: 25 W
- Dimension: 22 x 15 x 35.7 cm
- Weight: 2.1 kg
- EAN code: 5901750501203



AHS301



Technical data:

- Aroma function
- Build-in ionizer
- Cool mist humidity effectiveness: 300 ml/h
- Demineralization cartridge
- Super quiet operation (< 35 dB)
- Ceramic glass glaze transducer
- Manual control of humidification
- Water tank capacity: 3.5 l
- Power supply 220 – 240 V~50/60 Hz, power: 25 W
- Dimension: 20 x 17.3 x 28.4 cm
- Weight: 1.5 kg
- EAN code: 5901750502118



AHS401



Technical data:

- LED display with touch control panel
- 3 levels of humidification efficiency
- Aroma function
- 10 hours timer
- Mist humidity effectiveness: >350 ml/h
- Demineralization cartridge
- Super quiet operation
- Top-filling structure, easier refilling
- Ceramic glass glaze transducer
- Water tank capacity: 4 l
- Night time mode
- Power supply 220-240 V ~ 50/60 Hz, power: 25 W
- Dimension: 22 x 22 x 39.7 cm
- Weight: 2.0 kg
- EAN code: 5901750506307





● **BLAUPUNKT**

AIR DEHUMIDIFIERS

ADH701



Technical data:

- LED display at the top and at side of the device
- Working space 20-45 m²
- Indicator light shows the humidity level
- Dehumidifier capability: 20 l/day
- Water level detection, automatic shut-off
- Automatic defrosting function
- Air filter to air purification
- Super quiet operation, less than 47 dB
- Water tank capacity: 5.5 l
- Continuous drainage function
- Child-lock function
- Refrigerant: R290, 75 g
- Power supply: 220-240 V ~ 50 Hz, power: 420 W
- Dimension: 33 x 28 x 58 cm
- Weight: 15.6 kg
- EAN code: 5901750503351



ADH601



Technical data:

- LED display with touch control panel
- Dehumidifier capability: 16 l/day
- Remote control with Tuya App (WiFi and internet connectivity)
- Water level detection, automatic shut-off
- Automatic defrosting function
- Working space 20-40 m²
- Super quiet operation, less than 48 dB
- Water tank capacity: 2.5 l
- Continuous drainage function
- Refrigerant R290, 50 g
- Power supply 220-240 V ~ 50 Hz, power: 245 W
- Dimension: 32 x 22.5 x 49 cm
- Weight: 13 kg
- EAN code: 5901750506611



ADH501



Technical data:

- LED display with touch control panel
- Working space 15-45 m²
- Dehumidifier capability: 16 l/day
- Water level detection, automatic shut-off
- Automatic defrosting function
- Air filter to air purification
- Super quiet operation, less than 48 dB
- Water tank capacity: 3.5 l
- Continuous drainage function
- Refrigerant: R290, 55 g
- Power supply: 220-240 V ~ 50 Hz, power: 260 W
- Dimension: 29.2 x 23 x 55 cm
- Weight: 10.5 kg
- EAN code: 5901750503344



OIL-FILLED RADIATORS

HOR811



The oil-filled radiator is an ideal solution for long, autumn and winter evenings. It is perfect for rooms that require thermal insulation due to the low-efficiency heating system or leaking windows, as well as holiday homes when we decide to use the radiator in the colder season. Thanks to the installed castors and handles, the Blaupunkt HOR801 oil-filled radiator will definitely be useful in places where the cold is overwhelming. Electronic control, based on the thermostat, adjusts the operation power and stabilises the temperature according to the user's preferences. The appliance has three heating power levels and an Eco mode available.

Technical data:

- Heating area: up to 25 m²
- Digital control, adjustable temperature and power, 3 heat level settings
- LED display and remote control
- Timer function (delayed start and shut down)
- Special design combining the best features of convection heaters and oil-filled radiators: fast heating and long and stable heat accumulation
- Faster heat distribution
- Air tunnels to facilitate faster heating of the room
- Foldable wheels base without user assembly
- Tip-over switch, over-heat protection
- Power cord storage
- Power supply: 220-240 V ~ 50/60 Hz, power: 2500 W
- Dimensions: 57.5 x 27 x 67.3 cm
- Weight: 15.8 kg
- EAN code: 5901750506024



HOR501



Technical data:

- | | | |
|---|---|--|
| <ul style="list-style-type: none"> • Heating area: up to 22 m² • 3 heat level settings • Adjustable thermostat control • 3 oil channels for faster heat distribution • Tipover switch | <ul style="list-style-type: none"> • Wheels for easier moveability and handles for easier carrying • Overheat Protection • Indicator light • Power cord storage | <ul style="list-style-type: none"> • Power supply: 220-240 V ~ 50 Hz, power: 2500 W • Dimensions: 48.5 x 25 x 60 cm • Weight: 8.3 kg • EAN code: 5901750504686 |
|---|---|--|



HOR401



Technical data:

- Heating area: up to 18 m²
- 3 heat level settings
- Adjustable thermostat control
- 3 oil channels for faster heat distribution
- Wheels for easier moveability and handles for easier carrying
- Tipover switch
- Overheat Protection
- Indicator light
- Power cord storage
- Power supply: 220-240 V ~ 50/60 Hz, power: 2000 W
- Dimensions: 41 x 25 x 60 cm
- Weight: 6.9 kg
- EAN code: 5901750504679



HOR301



Technical data:

- Heating area: up to 14 m²
- 3 heat level settings
- Adjustable thermostat control
- 3 oil channels for faster heat distribution
- Wheels for easier moveability and handles for easier carrying
- Tipover switch
- Overheat Protection
- Indicator light
- Power cord storage
- Power supply: 220-240 V ~ 50 Hz, power: 1500 W
- Dimensions: 33.5 x 25 x 60 cm
- Weight: 5.8 kg
- EAN code: 5901750504662



HOR201



Technical data:

- Heating area: up to 10 m²
- 1 heat level setting (700 W)
- Adjustable thermostat control
- 3 oil channels for faster heat distribution
- Overheat Protection
- Indicator light
- Power supply: 220-240 V ~ 50 Hz, power: 700 W
- Dimensions: 32 x 13 x 37.5 cm
- Weight: 3.3 kg
- EAN code: 5901750505676
- This product is only suitable for well-insulated spaces or occasional use



CONVECTION HEATER

HCO701



Technical data:

- Heating area: up to 22 m²
- Digital control, adjustable temperature and power, 3 heat level settings
- LED display
- Remote control
- Timer function (delayed start and shut down)
- Special design with additional side plates to better accumulate heat and ensure more uniform heating of the room
- Air tunnels to facilitate faster heating of the room
- Stable feet
- Tip-over switch, over-heat protection
- Power supply: 220-240 V ~ 50 Hz, power: 2000 W
- Dimensions: 64.2 x 20.5 x 58.7 cm
- Weight: 8.9 kg
- EAN code: 5901750504709



HCO501



Technical data:

- Heating area: up to 22 m²
- Three heating levels (750, 1250, 2000 W)
- Turbo function (fan for faster heat distribution)
- Compact size
- Temperature control with thermostat knob
- Protection against overheating
- Power supply: 220-240 V ~ 50 Hz, power: 2000 W
- Dimensions: 57.5 x 20 x 41.8 cm
- Weight: 3.1 kg
- EAN code: 5901750505812



HCO301



Technical data:

- Heating area: up to 22 m²
- Three heating levels (750, 1250, 2000 W)
- Compact size
- Temperature control with thermostat knob
- Protection against overheating
- Power supply: 220-240 V ~ 50 Hz, power: 2000 W
- Dimensions: 57.5 x 20 x 41.8 cm
- Weight: 2.8 kg
- EAN code: 5901750505805



FAN HEATERS

FHD601



Technical data:

- Heating area: up to 25 m²
- 3 levels of heating intensity, LED Display
- Heat retention above freezing temperature
- Electronic thermostat for the easy setting of the desired temperature
- Timer for switching the device on or off, with a time delay
- Durable, energy-efficient, ceramic heating element
- Oscillation function
- Automatic safety switch, overheating protection
- Power supply: 220-240 V ~ 50/60 Hz, power: 2000 W
- Dimensions: 17 x 43.3 x 15.5 cm
- This product is only suitable for well-insulated spaces or occasional use
- Weight: 3 kg
- EAN code: 5901750505638



FHD501



Technical data:

- Heating Area: Up To 22 m²
- 3 levels of heating intensity, LED Display
- Heat retention above freezing temperature
- Electronic thermostat for the easy setting of the desired temperature
- Timer for switching the device on or off, with a time delay
- Durable, energy-efficient, ceramic heating element
- Oscillation function
- Automatic safety switch, overheating protection
- Power supply: 220-240 V ~ 50/60 Hz, 1800 W
- Dimensions: 15.9 x 25.4 x 14.5 cm
- This product is only suitable for well-insulated spaces or occasional use
- Weight: 1.6 kg
- EAN code: 5901750501593



FHD401



Technical data:

- Heating Area: up to 22 m²
- 3 levels of heating intensity, LED Display
- Electronic thermostat for the easy setting of the desired temperature
- Timer for switching the device on or off, with a time delay
- Durable, energy-efficient, ceramic heating element
- Remote controller
- Automatic safety switch, overheating protection
- Power supply: 220-240 V ~ 50/60 Hz, power: 2000 W
- Dimensions: 18.7 x 16.7 x 17.1 cm
- This product is only suitable for well-insulated spaces or occasional use
- Weight: 1.5 kg
- EAN code: 5901750505768



FHM601



Technical data:

- Heating Area: up to 22 m²
- 3 operating modes: fan, heater 1000/2000 W
- Adjustable thermostat control
- Durable, energy-efficient, ceramic heating element
- Automatic safety switch, overheating protection
- Power supply: 220-240 V ~ 50/60 Hz, power: 2000 W
- Dimensions: 18.7 x 16.7 x 17.1 cm
- This product is only suitable for well-insulated spaces or occasional use
- Weight: 1.5 kg
- EAN code: 5901750505775



FHM501



Technical data:

- Heating Area: up to 18 m²
- 3 operating modes: fan, heater 1000/1500 W
- Adjustable thermostat control
- Durable, energy-efficient, ceramic heating element
- Automatic safety switch, overheating protection
- Power supply: 220-240 V ~ 50/60 Hz, power: 1500 W
- Dimensions: 17.6 x 18 x 21.0 cm
- This product is only suitable for well-insulated spaces or occasional use
- Weight: 1.1 kg
- EAN code: 5901750506802



FHM301



Technical data:

- Heating area: up to 15 m²
- 3 Functional Settings: Fan, Heat 1000/2000 W
- Adjustable thermostat control
- Heating element made of durable FeCrAl alloy
- Overheat Protection
- May work in vertical or horizontal position
- Power supply: 220-240 V ~ 50 Hz, power: 2000 W
- Dimensions: 22.3 x 12 x 22.6 cm
- This product is only suitable for well-insulated spaces or occasional use
- Weight: 1 kg
- EAN code: 5901750504655



Ironing

- Portable garment steamers
- Stram stations
- Irons
- Lint remover



Enjoy it.

PORTABLE GARMENT STEAMERS

VSI601



Technical data:

- Steam rate up to 30 g/min
- Steam rate regulation (higher, lower)
- Power cord length: 2.5 m
- Short pre-heating time: less than 1 min
- Function: anti-calc, anti-drip, auto shut-off
- Stainless steel panel
- Accessories: travel bag, standard water bottle adapter, upholstery brush, condense drops preventing attachment
- Removable water tank 260 ml
- Power supply 220-240 V~50/60 Hz, power: 1400-1600 W
- Dimension: 20.4 x 11.8 x 21.1cm
- Weight: 0.9 kg
- EAN code: 5901750502002



STEAM STATION

SSP701



Technical data:

- High power: 3200 W
- Steam rate: max 135 g/min
- Steam pressure: 5.5 bar
- Digital control panel
- Ceramic soleplate of iron
- Automatic adjustment of soleplate's temperature
- Variable steam control (2 steam rate levels)
- Overheat protection, indicator lights
- 1.5 l water tank easy to refill during ironing
- Auto shut-off
- Power supply: 230-240 V ~ 50/60 Hz, power: 2800-3200 W
- Dimension: 32.3 x 19.4 x 23.3 cm
- Weight: 3 kg
- EAN code: 5901750503559





STEAM IRONS

HSI801



Technical data:

- Steam rate: up to 45 g/min
- Steam burst: up to 140 g/min
- Ceramic soleplate
- Power cord length: 3 m.
- Automatic shut-off
- Function: anti-calc, anti-drip, self-clean
- Soleplate size: 23.7 x 13 cm
- Water tank: 380 ml
- Power supply: 230 V ~ 50/60 Hz, power: 3000 W
- Dimension: 31.5 x 13.7 x 15.7 cm
- Weight: 1.5 kg
- EAN code: 5901750504754



HSI511



Technical data:

- Steam rate: up to 40 g/min
- Steam burst: up to 140 g/min
- Ceramic soleplate
- Power cord length: 1.9 m
- Function: anti-calc, anti-drip, self-clean
- Soleplate size: 23 x 11.8 cm
- Water tank: 300 ml
- Power supply: 220-240 V ~ 50/60 Hz, power: 2600 W
- Dimension: 28.8 x 12.1 x 13.7 cm
- Weight: 1.48 kg
- EAN code: 5901750505454



HSI201BL



Technical data:

- Steam rate: up to 25 g/min
- Steam burst: up to 80 g/min
- Non-stick coated soleplate
- Power cord length: 1.9 m.
- Function: anti-calc, anti-drip, self-clean
- Soleplate size: 20.6 x 11.3 cm
- Water tank: 200 ml
- Power supply: 220-240 V ~ 50/60 Hz
- Power: 1830-2170 W
- Dimension: 26.5 x 12 x 14 cm
- Weight: 0.88 kg
- EAN code: 5901750503535



LINT REMOVER

RLR301



Technical data:

- Rechargeable
- Working time up to 45 min, fully charged after 8 hours
- USB charging
- Ergonomic handle
- High quality NiMH batteries
- Diameter of blades 4.2 cm
- Power supply: 5 V, 0.2 A
- Weight: 0.15 kg
- EAN code: 5901750502361



Vacuuming and Cleaning

- Steam mop
- Vacuum cleaners
- Hand-held vacuum cleaners
- Robot vacuum cleaners
- Upright vacuum cleaners



Enjoy it.

STEAM MOP

STM601



Technical data:

- Cleans with hot steam without cleaning agents
- High efficiency, up to 35 g/min of steam
- Two steam generation intensity levels
- Water tank capacity: 360 ml
- Power cord length: 3 m
- Easy to use, one-button operation
- Protection against work without water
- Components: Floor head, two mop pads, extension tube, extension hose, nylon brush nozzle, nozzle with pad, long crevice nozzle, window cleaning attachment with a squeegee, ironing attachment, measuring cup.
- Power supply: 220-240 V ~ 50/60 Hz, power: 1500 W, weight: 2.5 kg
- Dimension: 113.4 x 24.5 x 18 cm
- EAN code: 5901750505782



VACUUM CLEANERS

VCC701



Technical data:

- Dust container capacity: 2 l
- Power cord rewind, cord length 5 m
- Suction power regulation in the hose
- Filter HEPA H13
- Overheat protection
- Vertical and horizontal parking
- Noise below 73 dB
- Accessories: Multi-purpose brush nozzle, crevice tool, small brush nozzle and metal telescopic tube
- Power supply: 220-240 V ~ 50 Hz, power: 800 W
- Unit size: 38.3 x 28.5 x 27.5 cm
- Weight: 5.1 kg
- EAN code: 5901750503993



VCC301



Technical data:

- Dust container capacity: 1.2 l
- Power cord rewind, cord length 5 m
- Suction power regulation in the hose
- Filter HEPA H13
- Overheat protection
- Vertical and horizontal parking
- DpuHF A, DpuC D,
- Reemission: A
- Noise below 77 dB
- Accessories: Multi-purpose brush nozzle, crevice tool, and metal telescopic tube
- Power supply 220-240 V ~ 50 Hz, power: 700 W
- Unit size: 34.2 x 25.2 x 22.2 cm
- Weight: 4.6 kg
- EAN code: 5901750501739



VCI201



Technical data:

- Dust container capacity: 10 l
- Washable HEPA filter
- May use paper bags
- Power cord length 6 m
- Suction regulation in the hose
- Rotary wheels for better moveability
- Overheat protection
- Max airflow: 1.6 m³/min
- Max underpressure : 18 kPa
- Noise below 80 dB
- Blow function
- Accessories: Multi-purpose brush nozzle, Wet&dry brush nozzle, crevice tool 2 in 1 and 3 x metal tubes
- Power supply 220-240 V~ 50/60 Hz, power: 1200 W
- Dimension: 32.1 x 34.6 x 35 cm
- Weight: 5.2 kg
- EAN code: 5901750504440



VCB201



Technical data:

- Dust bag compartment capacity: 2 l
- Power cord rewind, cord length 4.8 m
- Suction regulation in the hose
- Soft PVC wheels
- Overheat protection
- Vertical and horizontal parking
- Noise below 80 dB
- Accessories: Multi-purpose brush nozzle, 2in1 crevice tool and metal telescopic tube, 2 dust bags in package
- Power supply 220-240 V~ 50 Hz, power: 700 W
- Dimension: 34.3 x 24 x 20 cm
- Weight: 3.9 kg
- EAN code: 5901750502224



VCB202



Technical data:

- Dust bag compartment capacity: 2 l
- Power cord rewind, cord length 4.2 m
- Suction regulation in the hose
- Soft PVC wheels
- Overheat protection
- Vertical and horizontal parking
- Noise below 79 dB
- HEPA filter
- Accessories: Multi-purpose brush nozzle, crevice tool, small brush nozzle and telescopic tube
- Power supply 220-240 V~ 50 Hz, power: 700 W
- Dimension: 33.7 x 21 x 26.4 cm
- Weight: 4.1 kg
- EAN code: 5901750507977



VCB101



Technical data:

- Dust bag compartment capacity: 2 l
- Power cord rewind, cord length 4.2 m
- Suction regulation in the hose
- Soft PVC wheels
- Overheat protection
- Vertical and horizontal parking
- Noise below 79 dB
- Accessories: Multi-purpose brush nozzle, crevice tool, small brush nozzle and plastic tubes
- Power supply 220-240 V~ 50 Hz, power: 700 W
- Dimension: 33.7 x 21 x 26.4 cm
- Weight: 4.1 kg
- EAN code: 5901750507960





HAND-HELD VACUUM CLEANER

VCP301



Technical data:

- Rechargeable
- Working time up to 45 min, fully charged after 8 hours
- USB charging
- Ergonomic handle
- High quality NiMH batteries
- Diameter of blades 4.2 cm
- Power supply: 5 V, 0.2 A
- Weight: 0.15 kg
- EAN code: 5901750502361



UPRIGHT VACUUM CLEANER

VCH201



Technical data:

- Powerful motor, max 800 W
- Capacity 1.5 l
- Cord length 4.8 m
- Foldable handle
- Accessories: floor brush, crevice tool, small brush nozzle
- Power supply: 220-240 V ~ 50/60 Hz
- Unit size: 24 x 14 x 110 cm
- Weight: 2.6 kg
- EAN code: 5901750505492





RVC201



Technical data:

- For different types of floor: wooden, laminate, ceramic, linoleum, and low-pile carpets
- 3 operating modes: random, spiral, along the wall
- Compact size, low profile, only 7.5 cm
- Large dust container – 0.5 l
- Two sweeping brushes
- Powerful suction motor, 10 W suction power
- Operation time – up to 55 minutes
- Power supply: 100-240 V ~ 50/60 Hz, max. 400 mA
- EAN: 5901750503740





UPRIGHT VACUUM CLEANERS

VCH801



Technical data:

- Very powerful brushless motor powered by 25.2 V
- 300 W motor generates a vacuum above 19 Kpa
- Three suction power settings
- An electric brush collects dirt from the floor better
- Dust container 0.5 l
- Cyclone separation system
- Triple air filtration
- HEPA filter cleaning system
- Light construction, weight only 2.4 kg
- Set includes: foldable aluminum tube, elastic hose, long crevice nozzle, small brush nozzle, wide brush nozzle (for furniture), electric brush with LED lighting, wall mount
- Power supply: 220-240 V ~ 50/60 Hz
- Unit size: 112 x 25 x 23,5 cm
- Weight: 3.2 kg
- EAN code: 5901750507540




VCH701



Technical data:

- Very powerful brushless motor powered by 22.2 V
- 200 W motor generates a vacuum above 16 Kpa
- Two suction power settings
- An electric brush collects dirt from the floor better
- Replaceable rollers for an electric brush: for hard floors and for carpets
- Dust container 0.5 l
- Cyclone separation system
- Triple air filtration
- HEPA filter cleaning system
- Light construction, weight only 2.3 kg
- Detachable battery pack
- Set includes: aluminum tube, flexible hose, crevice nozzle with retractable bristles, electric brush with LED lighting (two changeable rollers), wall mount
- Power supply: 220-240 V ~ 50/60 Hz
- Unit size: 106 x 22.3 x 23.4 cm
- Weight: 3.2 kg
- EAN code: 5901750507731



VCH602BL



Technical data:

- Powerful 22.2 V electric motor, 135 W
- Two speed settings
- Long-lasting lithium battery, up to 30 minutes working time
- Electric power brush makes collecting dust easy
- Power brush with LED lights
- 0.7 l dust container
- Cyclone separation system
- Triple air filtration
- Lightweight design, only 2.4 kg
- Accessories: floor electric brush, universal 2in1 nozzle, long crevice tool and aluminium tube
- Power supply: 220-240 V ~ 50/60 Hz 0.3 A
- Unit size: 70 x 24 x 12 cm
- Weight: 2.6 kg
- EAN code: 5901750503825





VC6010



Technical data:

- Very powerful brushless motor
- Two speeds providing a vacuuming suction of 9 and 16 kPa
- Electric brush that facilitates the collection of dirt
- Dust container 0.5 l
- Cyclone separation system
- Triple air filtration
- Light construction, weight only 2.4 kg
- Rechargeable battery: 18 V Li-Ion, 2.0 Ah (not included), 4.0 Ah recommended
- INCLUDES:
 - Vacuum cleaner
 - Battery 4 Ah Blaupunkt BP1840,
 - Battery charger 2.4A Blaupunkt BP1824, aluminum tube, crevice nozzle, crevice nozzle with a movable brush, turbo brush with LED lighting, wall mount
 - User Manual
 - Warranty card
- Dimensions: 118 x 23.5 x 20.5 cm
- Weight: 3 kg
- EAN code: 5901750507335





ONE BATTERY

ONE CHARGER


DyNAmic development, one platform!

The BLAUPUNKT OneDNA 18V system includes a wide range of innovative products that provide the flexibility to choose the right tool for any work you do. We are constantly working on development so that our product range is dynamically evolving and expanding with other unique products tailored to your needs. That provides a complete and comprehensive range of tools based on a single BLAUPUNKT OneDNA 18 V battery platform. It also means more convenience for you! We also know the work doesn't stop in the workshop, so we've added a full range of garden tools powered by the same BLAUPUNKT OneDNA 18 V battery! The range covers the essential tools you need for the home, workshop, or garden so you can overcome all the challenges in your daily life.



 **BLAUPUNKT**

100  **years**
brand est. 1924



Enjoy it.

Blaupunkt Competence Center, 2N-Everpol Sp. z o.o.
Puławska 403A, 02-801 Warsaw, Poland
tel. +48 22 688 08 00
e-mail: info@everpol.pl, www.blaupunkt.com

All the products included in this document have been manufactured
and sold under the responsibility of 2N-Everpol Sp. z o.o.

BLAUPUNKT, BLAUPUNKT logo, and the 100 YEARS BLAUPUNKT logo are trademarks used
under license by 2N-Everpol Sp. z o.o. – further information at brand.blaupunkt.com.

All other products, services, companies, trademarks, trade or product names
and logos referenced herein are the property of their respective owners.



https://blaupunkt.com/c_ee/appliances-c_ee/home/